SCHÜCO ADS 75 SI SERIES

ALUMINIUM ENTRANCE DOORS









SCHUCO ALUMINIUM ENTRANCE DOORS

GERMAN DESIGN - GERMAN ENGINEERING - GERMAN PERFORMANCE

Schuco systems are world leaders in architectural aluminium design and development. Schuco entrance doors are a perfect union of form and function, meeting the highest standards of German design and German engineering. Our range of Schuco entrance doors are the market leading Schuco ADS 75 Super Insulated series.

MAXIMUM COMFORT

Schuco ADS 75 SI door series are designed to offer maximum comfort with exceptional thermal efficiency with impressive U values of 0.87~W/m2k, all profiles are pre insulated in the Schuco factory.

ROBUST MAKE UP


Schuco ADS 75 SI series doors are designed with enhanced security, 75mm deep, completely flush outside and inside, 3mm thick aluminium skin external face, safe matic multi point automatic locking, robust three part hinges with integrated locking bolts, security cylinders, quadruple glazed laminate glazing to the door wing, triple glazed laminate units to the side lights.

ELEGANT DESIGN

Schuco ADS 75 SI series doors are available with over seventy door designs, bespoke door designs on request, a choice of any ral colour, a selection of popular textured colours and wooden colours for a more natural finish. There is a variety of handle options, glazing patterns and electronic entry systems available.

PRECISION ENGINEERED


Precision engineered super insulated profiles and hardware direct from the Schuco factory. All doors are fabricated using job specific CNC machinery. All doors are laboratory certified in Rosenheim.




SPECIFICATIONS & STANDARD EQUIPMENT

STANDARD DOOR FEATURES

- Market Leading Door System Schuco ADS 75 SI
- 75mm Deep Contemporary Finish Flush Both Side
- Super Insulated Thermal Efficiency 0.87 W/m2k
- Safe Matic Automatic Locking
- Schuco Branded Hardware Choice of Style
- Any Ral Colour / A Choice of Textured Colours / Metallic Colours
- External Aluminium Skin 3mm Internal Aluminium Skin 2mm
- Any Door Design / Bespoke Door Designs
- Any Size Up To 1200mm x 2500mm
- Quadruple Glazed Laminated Units to Door Wing
- Side Lights / Top Lights Available (Triple Glazed Laminated Glass)
- Secure and Safe Security Level RC2 / RC3 Achievable
- Low Threshold As Standard (Rebated Threshold Available)
- Frame Extension and Door Sill Available






DOOR MODELS









POPULAR STANDARD RAL COLOURS



RAL 7016















Any Standard RAL Colour

POPULAR TEXTURED COLOURS





RAL 9005 YN305F













RAL 1015 YD315F

POPULAR METALLIC COLOURS











YW354F



YW106I



YW283F



YW355F



Bleu 2700 Sable YW353F

WOODEN COLOURS



Golden Oak B2425



Nussbaum B1523



B1816



B1511



GLAZING STYLES AVAILABLE




Clear



Satin

YX355F









Satin wtih Satinato Lines

Energy Efficient (Blue Tint)

HANDLE OPTIONS

SCHUCO HANDLES



45 Degree Round Handle

Available Sizes 300mm to 1800mm

ALTERNATIVE EXTERNAL PULL HANDLES (UNBRANDED)



500mm to 800mm

500mm to 1800mm

400mm to 1800mm

1000mm

500mm to 800mm

ADDITIONAL EXTRA'S

HINGES



Three Part Hinge



Roller Hinge with Integrated Bolt



Invisible Hinge Option

ELECTRICAL ENTRY



Finger Scanner on Door



Digital Key Pad



Finger Scanner Handle

SPY HOLE/SCREEN

DOOR CLOSERS



Schuco Classic Mechanism



Schuco Linear Mechanism

EXTERNAL ROSSETTES

SECURITY CYLINDERS



Internal Rossette



Round Security INOX



SCHUCO Cylinder with 3 Keys



SCHUCO Cylinder with 5 Keys



View Hole Manual



Digital Viewing Screen

DOOR NUMBERS



Inox Door Numbers

Door Numbers Etched to Glazing

KICK PLATES



Inox Kick Plate Designs

LETTER BOX




Letter Box

OTHER



Electric Strike Plate



Frame Extension

DUAL COLOURS




SIGHT LINES

SINGLE DOOR WITH TOP LIGHT

All doors with top lights will be supplied as separate frames.

75mm

SINGLE DOOR





THRESHOLD WITH FRAME EXTENSION

As standard all doors are complete with a low threshold.


The low threshold is available with a frame extension to provide a greater clearance, between the finished floor level and the underside of the door wing.

Also with the use of a frame extension an extruded door sill can be incorporated.






SINGLE DOOR OUTER FRAME




SINGLE DOOR WITH SIDE LIGHT AS ONE FRAME



SINGLE DOOR WITH SIDE LIGHT AS SEPARATE FRAMES

Dependent on the overall size of the door and side light(s) required.

The door and side light(s) will be supplied as separate frames.





Web: www.allydoors.co.uk

Email: info@allydoors.co.uk

Tel: 0333 772 9632